

# \$1500 TAX CREDIT

**As part of the American Recovery and Reinvestment Act of 2009, homeowners are now eligible for a 30% tax credit up to \$1,500 dollars if they purchase a qualifying entry door**



## How do I get the credit?

Purchase and install a qualified Masonite product from 1/1/2009 to 12/31/2010. Save the sales receipt and the NFRC performance label that is attached to the door. Claim the tax credit when you file your 2009 or 2010 taxes as directed by the IRS.

## Which products qualify?

The unit must have a U-factor and a Solar Heat Gain Coefficient of 0.30 or lower as tested at an independent laboratory and certified and labeled by the manufacturer  
(To see eligible doors, please see reverse side)

## The Details

The tax credit is for the product only and does not cover installation costs. The maximum credit is \$1,500 combined for tax years 2009 and 2010 and includes other eligible products. Masonite does not assume any liability for determining whether a particular product qualifies for the tax credit and is not providing legal or tax advice.



Corporate Office  
210 Industrial Pkwy  
Branchburg, NJ 08876  
FOR MORE INFO LOG ONTO: <http://www.bwimillwork.com>





## MASONITE QUALIFYING PRODUCTS FOR 2009 & 2010 TAX CREDITS

DOORS (U Factor / SHGC)			FIBERGLASS DOORS					WOOD-EDGE STEEL DOORS					STEEL-EDGE STEEL DOORS							
Glass Code	Glass Description	NFRC Classification	Clear 1/2" IG	Clear 1/2" IG E Grids	1" IG	1" IG Int Grids	1" LowE IG	Deco w/ Caming	Clear 1/2" IG	Clear 1/2" IG E Grids	1" IG	1" IG Int Grids	1" LowE IG	Deco w/ Caming	Clear 1/2" IG	Clear 1/2" IG E Grids	1" IG	1" IG Int Grids	1" LowE IG	Deco w/ Caming
Door Only			.15 / .01					.14 / .01					.16 / .01							
136	7.5" x 18.5" Rectangle	Quarter Lite	.23 / .12	.23 / .12	.23 / .12	.23 / .12	.21 / .11	.21 / .11	.17 / .03	.17 / .03	.17 / .03	.17 / .03	.17 / .03	.17 / .03	.21 / .06	.21 / .06	.20 / .06	.20 / .06	.19 / .05	.19 / .05
135	22" x 10" Half Circle	Quarter Lite	.23 / .12	.23 / .12	.23 / .12	.23 / .12	.21 / .11	.21 / .11	.17 / .03	.17 / .03	.17 / .03	.17 / .03	.17 / .03	.17 / .03	.21 / .06	.21 / .06	.20 / .06	.20 / .06	.19 / .05	.19 / .05
137	22" x 10" Camber Top	Quarter Lite	.23 / .12	.23 / .12	.23 / .12	.23 / .12	.21 / .11	.21 / .11	.17 / .03	.17 / .03	.17 / .03	.17 / .03	.17 / .03	.17 / .03	.21 / .06	.21 / .06	.20 / .06	.20 / .06	.19 / .05	.19 / .05
228	22" x 10" Rectangle	Quarter Lite	.23 / .12	.23 / .12	.23 / .12	.23 / .12	.21 / .11	.21 / .11	.17 / .03	.17 / .03	.17 / .03	.17 / .03	.17 / .03	.17 / .03	.21 / .06	.21 / .06	.20 / .06	.20 / .06	.19 / .05	.19 / .05
203	8" x 42" Round Top	Quarter Lite	.23 / .12	.23 / .12	.23 / .12	.23 / .12	.21 / .11	.21 / .11	.17 / .03	.17 / .03	.17 / .03	.17 / .03	.17 / .03	.17 / .03	.21 / .06	.21 / .06	.20 / .06	.20 / .06	.19 / .05	.19 / .05
201	8" x 58" Round Top	Half Lite	.32 / .24	.32 / .23	.30 / .24	.30 / .23	.27 / .22	.26 / .21	.29 / .19	.29 / .17	.27 / .19	.27 / .17	.24 / .19	.24 / .16	.33 / .25	.33 / .23	.31 / .25	.31 / .23	.27 / .23	.27 / .22
304	16" x 40" Oval	Half Lite	.32 / .24	.32 / .23	.30 / .24	.30 / .23	.27 / .22	.26 / .21	.29 / .19	.29 / .17	.27 / .19	.27 / .17	.24 / .19	.24 / .16	.33 / .25	.33 / .23	.31 / .25	.31 / .23	.27 / .23	.27 / .22
306	15" x 55" Oval	Half Lite	.32 / .24	.32 / .23	.30 / .24	.30 / .23	.27 / .22	.26 / .21	.29 / .19	.29 / .17	.27 / .19	.27 / .17	.24 / .19	.24 / .16	.33 / .25	.33 / .23	.31 / .25	.31 / .23	.27 / .23	.27 / .22
105	22" x 36" Round Top	Half Lite	.32 / .24	.32 / .23	.30 / .24	.30 / .23	.27 / .22	.26 / .21	.29 / .19	.29 / .17	.27 / .19	.27 / .17	.24 / .19	.24 / .16	.33 / .25	.33 / .23	.31 / .25	.31 / .23	.27 / .23	.27 / .22
106	22" x 36" Rectangle	Half Lite	.32 / .24	.32 / .23	.30 / .24	.30 / .23	.27 / .22	.26 / .21	.29 / .19	.29 / .17	.27 / .19	.27 / .17	.24 / .19	.24 / .16	.33 / .25	.33 / .23	.31 / .25	.31 / .23	.27 / .23	.27 / .22
107	22" x 37" Camber Top	Half Lite	.32 / .24	.32 / .23	.30 / .24	.30 / .23	.27 / .22	.26 / .21	.29 / .19	.29 / .17	.27 / .19	.27 / .17	.24 / .19	.24 / .16	.33 / .25	.33 / .23	.31 / .25	.31 / .23	.27 / .23	.27 / .22
300	20" x 57" Oval	Half Lite	.32 / .24	.32 / .23	.30 / .24	.30 / .23	.27 / .22	.26 / .21	.29 / .19	.29 / .17	.27 / .19	.27 / .17	.24 / .19	.24 / .16	.33 / .25	.33 / .23	.31 / .25	.31 / .23	.27 / .23	.27 / .22
410	22" x 47" S-Top	3/4 Lite	.35 / .29	.35 / .27	.33 / .29	.33 / .27	.29 / .27	.28 / .25	.35 / .29	.35 / .25	.33 / .29	.33 / .25	.29 / .28	.28 / .24	.39 / .34	.39 / .31	.37 / .34	.37 / .31	.31 / .32	.30 / .31
404	22" x 48" Rectangle	3/4 Lite	.35 / .29	.35 / .27	.33 / .29	.33 / .27	.29 / .27	.28 / .25	.35 / .29	.35 / .25	.33 / .29	.33 / .25	.29 / .28	.28 / .24	.39 / .34	.39 / .31	.37 / .34	.37 / .31	.31 / .32	.30 / .31
120	20" x 64" Rectangle	Full Lite	.40 / .36	.40 / .34	.38 / .36	.38 / .34	.32 / .34	.31 / .31	.39 / .35	.39 / .31	.36 / .35	.36 / .31	.31 / .33	.30 / .29	.44 / .43	.44 / .38	.41 / .43	.41 / .38	.34 / .40	.33 / .39
109	22" x 64" Round Top	Full Lite	.40 / .36	.40 / .34	.38 / .36	.38 / .34	.32 / .34	.31 / .31	.39 / .35	.39 / .31	.36 / .35	.36 / .31	.31 / .33	.30 / .29	.44 / .43	.44 / .38	.41 / .43	.41 / .38	.34 / .40	.33 / .39
122	22" x 64" Rectangle	Full Lite	.40 / .36	.40 / .34	.38 / .36	.38 / .34	.32 / .34	.31 / .31	.39 / .35	.39 / .31	.36 / .35	.36 / .31	.31 / .33	.30 / .29	.44 / .43	.44 / .38	.41 / .43	.41 / .38	.34 / .40	.33 / .39
810	22" x 80" Rectangle	Full Lite	.40 / .36	.40 / .34	.38 / .36	.38 / .34	.32 / .34	.31 / .31	.39 / .35	.39 / .31	.36 / .35	.36 / .31	.31 / .33	.30 / .29	.44 / .43	.44 / .38	.41 / .43	.41 / .38	.34 / .40	.33 / .39
			Steel Frame add .08 U value to all configurations					Steel Frame add .07 U value to all configurations					Steel Frame add .10 U value to all configurations							

SIDELITES (U Factor / SHGC)			FIBERGLASS SIDELITES					WOOD-EDGE STEEL SIDELITES						
Glass Code	Glass Description	NFRC Classification	Clear 1/2" IG	Clear 1/2" IG E Grids	1" IG	1" IG Int Grids	1" LowE IG	Deco w/ Caming	Clear 1/2" IG	Clear 1/2" IG E Grids	1" IG	1" IG Int Grids	1" LowE IG	Deco w/ Caming
Quarter Lite			.20 / .04	.20 / .04	.20 / .04	.20 / .04	.20 / .04	.19 / .04	.18 / .03	.18 / .03	.18 / .03	.18 / .03	.17 / .03	.17 / .04
129	8" x 36" Rectangle	Half Lite	.28 / .13	.28 / .13	.28 / .13	.28 / .13	.26 / .13	.25 / .12	.31 / .21	.31 / .19	.30 / .21	.30 / .19	.27 / .20	.26 / .17
200	8" x 36" Round Top	Half Lite	.28 / .13	.28 / .13	.28 / .13	.28 / .13	.26 / .13	.25 / .12	.31 / .21	.31 / .19	.30 / .21	.30 / .19	.27 / .20	.26 / .17
450	8" x 48" Rectangle	3/4 Lite	.32 / .18	.32 / .17	.31 / .18	.31 / .17	.29 / .17	.27 / .17	.39 / .31	.39 / .28	.36 / .31	.36 / .28	.32 / .30	.31 / .25
152	7" x 64" Rectangle	Full Lite	.35 / .23	.35 / .21	.35 / .23	.35 / .21	.35 / .21	.30 / .21	.43 / .38	.43 / .34	.41 / .38	.41 / .34	.35 / .37	.34 / .31
149	8" x 64" Round Top	Full Lite	.35 / .23	.35 / .21	.35 / .23	.35 / .21	.35 / .21	.30 / .21	.43 / .38	.43 / .34	.41 / .38	.41 / .34	.35 / .37	.34 / .31
151	8" x 64" Rectangle	Full Lite	.35 / .23	.35 / .21	.35 / .23	.35 / .21	.35 / .21	.30 / .21	.43 / .38	.43 / .34	.41 / .38	.41 / .34	.35 / .37	.34 / .31
852	8" x 80" Rectangle	Full Lite	.35 / .23	.35 / .21	.35 / .23	.35 / .21	.35 / .21	.30 / .21	.43 / .38	.43 / .34	.41 / .38	.41 / .34	.35 / .37	.34 / .31

Performance based on assembled door using Masonite standard panels, NFRC default sill, and default wood frame.

Energy Performance values have been established in accordance with the International Energy Conservation Code (IECC); U-factors determined in accordance to NFRC 100 and SHGC values determined in accordance with NFRC 200. See prescriptive performance criteria for Energy Star and or IECC climate zones as well as local building codes.

☐ = Qualified Door or Sidelite Unit

### Instructions to Receive Tax Credit

1. Purchase and Install any replacement window, patio door, or entry door with a U-factor and Solar Heat Gain Coefficient of .30 or below between January 1, 2009 and December 31, 2010
2. Save your receipt for each door or sidelite and their NFRC performance label with your tax documents
3. Claim your tax credit on your Federal filing for the 2009 or 2010 tax year.